



木球規則修訂

2016年10月30日修訂

編號	條文	原規則	修訂 / 增訂
1	第一章/第二節/第八條	球道界線為 1公分 直徑白色或黃色圓繩。	球道界線為 零·五公分 直徑白色或黃色圓繩。
2	第一章/第三節/第二條	每一球道寬度，可依地形規劃，但最窄處不得少於三公尺，最寬處不得超過十公尺。	每一球道寬度，可依地形規劃，但最窄處不得少於三公尺，最寬處不得超過十公尺。 中距離球道寬度四公尺以上，長距離球道寬度五公尺以上。
3	第一章/第三節/第四條	十二個球道中，至少須有四個彎曲式球道。其中，二個左彎道、二個右彎道。	六個球道中，至少須有二個彎曲式球道。其中，一個左彎道、一個右彎道。 每個彎曲式球道以一個轉彎點為限，轉彎點至球門中心不得超過十公尺的距離。
4	第一章/第三節/第十一條	無	球道上每二十公尺佈置藍色邊線旗，彎道轉角佈置黃色轉彎旗，球門後方球道末端佈置紅色底線旗。黃色彎道旗佈置於線上，其餘旗幟佈置於邊線外一個球距以上的位置。
5	第二章/第二節/第一條/第(一)項	球須為圓型球體，且為木質製成，直徑 9.5公分±0.2公分 ；重量 350公克±60公克 。	球須為圓型球體，且為木質製成，直徑 9.5±0.2公分 ；重量 350±80公克 。
6	第二章/第二節/第二條/第(二)項	球桿總長 90公分±10公分 （含握桿和桿瓶部份）。	球桿總長 85±15公分 （含握桿和桿瓶部份）。
7	第二章/第二節/第三條/第(二)項	球門以兩支 球瓶 為球門柱，固定於地面上， 球門柱 內緣寬度為 15±0.5公分 。	球門以兩支 瓶狀物 為球門柱，固定於地面上，門柱內緣寬度為 15±0.5公分 ， 球門中懸掛一門杯，門杯距地面5±0.5公分。



木球規則修訂

2016年10月30日修訂

編號	條文	原規則	修訂 / 增訂
8	第三章/第二節/第二條	團體賽中之球員，宜穿著同款式運動服裝參加比賽。個人賽中之球員以穿著運動休閒服裝為原則。比賽時球員不可穿高跟鞋或不適宜運動之服裝。	同隊球員必須穿著同款式運動服裝參加比賽。比賽時球員不可穿著高跟鞋或不適宜運動之服裝。
9	第五章/第三節/第二條/第(一)項	比賽時，比賽球穿過球門金屬棒，並位於球杯後方、球體不得接觸球杯，即為完成一球道比賽。如比賽球通過球門金屬棒後仍與球杯有接觸，須以原過門方向繼續打擊。	比賽時，比賽球穿過球門金屬棒，並位於門杯後方、球體不得接觸門杯，即為完成一球道比賽。如比賽球未能過門成功且與門杯仍有接觸，該球員直接加記一桿並視為完成比賽，以維護球門於比賽時的穩固。
10	第五章/第三節/第二條/第(十三)項	球員身體任何一部份或球具不得觸及自己或他人的比賽球。	球員身體任何一部份或球具不得觸及自己或他人的比賽球及球門。
11	第七章/第一條	每次擊球時，宜以雙腳站立雙手握球桿置於球體後方的靜態下開始揮桿打擊。不可在行走中擊球，違者罰加計一桿，並從新球位擊下一桿。	每次擊球時，以球桿置於球體後方的靜態下開始揮桿打擊。不可在行走中擊球，違者罰加計一桿，並從新球位擊下一桿。
12	第八章/第七條	比賽進行中，球員如違反運動員精神，警告並要求違者改善，同時罰計一桿。再犯時，則取消比賽資格。	比賽進行中，球員、教練或該相關人員如違反運動員精神，警告並要求違者改善，同時罰計一桿。再犯時，則取消比賽資格。
13	第八章/第八條	比賽球員身體任何一部份或其所持球具碰觸自己或他人所打之比賽球時，罰計一桿，而球之停止點為新球位。	比賽球員身體任何一部份或其所持球具碰觸自己或他人所打之比賽球和球門時，罰計一桿，而球之停止點為新球位。
14	第九章/第三條	無	球員攻門時，球桿碰觸球門者，罰加計一桿。如球過門成功，視同完成該球道比賽。

Amended & Appended Rules of Woodball

Revised on 30 October 2016

No.	Article	Original	Amended / Appended
1	Ch1. Art2. 8	The round string used for the fairway boundary line shall be 1 cm diameter thick in white or yellow.	The round string used for the fairway boundary line shall be 0.5 cm diameter thick in white or yellow.
2	Ch1. Art3. 2	The width of each fairway should be designed in accordance with its natural features, but the narrowest width should not be less than 3 meters, and the widest width should not be more than 10 meters.	The width of each fairway should be designed in accordance with its natural features, but the narrowest width should not be less than 3 meters, and the widest width should not be more than 10 meters. The width of the middle distance fairway should be more than 4 meters and the width of long distance fairway should be more than 5 meters.
3	Ch1. Art3. 4	Of the twelve fairways, at least four are curving fairways; two to be left-curving fairways and the other two to be right-curving fairways.	Of the twelve fairways, at least four are curving fairways; two to be left-curving fairways and the other two to be right-curving fairways. There should be only a turning point in each curving fairway, the distance between turning point and the central of the gate cannot be over 10 meters.
4	Ch1. Art3. 11	None	The blue borderline flags should be placed both sides of fairway every 20 meters; the yellow turning flags are placed at turning points, and the red endline flags are placed behind the gate in the end of the fairway. Yellow turning flags should be on the boundary line, and other flags should be outside of the boundary line at least in a distance of a ball.
5	Ch2. Art2.1.(1)	The ball should be a round-shaped sphere made of wood, 9.5±0.2cm in diameter and 350±60g in weight.	The ball should be a round-shaped sphere made of wood, 9.5±0.2cm in diameter and 350±80g in weight.

No.	Article	Original	Amended / Appended
6	Ch2.Art2.2.(2)	The mallet (consisting of a handle and a bottle shaped head) is 90±10 cm in length.	The mallet (consisting of a handle and a bottle shaped head) is 85±15 cm in length.
7	Ch2.Art2.3.(2)	The gate is formed by 2 bottles as its base pillar fixed to the ground. The width between the 2 bottles should be 15cm±0.5cm , measuring from the inner sides of one bottle to another.	The gate is formed by 2 bottles as its base pillar fixed to the ground. The width between the 2 gate bottle should be 15±0.5cm , measuring from the inner sides of one gate bottle to another. A gate cup hanging between 2 mallet heads is 5±0.5cm away from the ground.
8	Ch3.Art2.2	All players are required to dress in casual sports wear. However, players in the same team competing for teams' event are required to wear outfits in similar fashion. During the game, player is not permitted to wear high-heel shoes or clothes unsuitable for sport.	Players in the same team competing for teams' event are required to dress in similar fashion sportswear. During the game, player is not permitted to wear high-heel shoes or clothes unsuitable for sport.
9	Ch5.Art3.2.(1)	The ball in play which passes through the metal rod of the gate, behind the cup and distance away from each other, is regarded as completion of one fairway competition. If the ball passing through the metal rod of the gate were in the back of the cup and still in contact with the cup, the player has to continue to play in the same direction of passing through the metal of the gate.	The ball in play which passes through the metal rod of the gate, behind the cup and distance away from each other, is regarded as completion of one fairway competition. If the ball fails to pass through the gate and it is still in contact with the cup, the player should complete the gating process by adding an additional stroke straight away, as this serves to protect the stability of the gate during the competition.
10	Ch5.Art3.2.(13)	No matter whose ball it is, players should not touch the balls on the fairway with any part of their body or equipment.	No matter whose ball it is, players should not touch the balls and gates on the fairway with any part of their body or equipment.

Amended & Appended Rules of Woodball

Revised on 30 October 2016

No.	Article	Original	Amended / Appended
11	Ch7.Art1	<p>To make a shot, players are suggested to hit the ball in a two-legged stance, holding the mallet with both hands and place the mallet behind the ball. The starting posture should be stationary. It is not permitted to hit the ball while walking. Infraction will incur the violator a penalty stroke, and play is to resume from where the ball lies in its new position.</p>	<p>To make a shot, players are required to place the mallet behind the ball, and the starting posture should be stationary. It is not permitted to hit the ball while walking. Infraction will incur the violator a penalty stroke, and play resumes from where the ball lies in its new position.</p>
12	Ch8.Art7	<p>During play, the player against sportsmanship is admonished and requested to improve; at the same time, the infraction will incur violator a penalty stroke. Repeated infraction will result in disqualification to the violator from the competition.</p>	<p>During play, the player, coach and related entourage against sportsmanship is admonished and requested to improve; at the same time, the infraction will incur violator a penalty stroke. Repeated infraction will result in disqualification to the violator from the competition.</p>
13	Ch8.Art8	<p>During play, the player who touches balls on the fairway with any part of the body or with the equipment holding during play, the infraction will incur violator a penalty stroke, and play is to resume from where the ball lies in its new position.</p>	<p>During play, the player who touches balls and gates on the fairway with any part of the body or with the equipment holding during play, the infraction will incur violator a penalty stroke, and play is to resume from where the ball lies in its new position.</p>
14	Ch9.Art3	None	<p>Player's mallet bumps the gate while gating, one penalty stroke is applied to the violator. If the ball passes through the gate, it is considering completion of the fairway competition.</p>